

Demand more. Choose Foster

BFT52 Blast Chiller - Freezer Cabinet BFT52



Temperature



Dimensions (mm)



Capacity

52 Chilling (Kg)52 Freezing (Kg)

Packed Weight

190 KG

Features & Benefits

The Foster tray loading blast chiller range provides the ideal way to ensure quality and food safety is maximised in every kitchen, large or small

- Dedicated 52Kg blast freezer (can also operate as a blast chiller as required)
- Exceeding UK and European food safety requirements
- High grade 304 exterior & interior the 'gold standard' in performance finishes
- Intuitive touch control panel just press and go!

•	A range of intelligent chilling & fi	reezing programmes to	ensure foods are chille	d safely and that quality	is maintained

External Finish					
304 Stainless Steel	Standard				
Internal Finish					
304 Stainless Steel	Standard				
Shelving					
Additional Shelf	Option				
Stainless Steel Gastronorm 1/1 Shelf	Option				
Nylon Coated Gastronorm 1/1 Shelf	Option				
Bakery Tray - 60x40	Option				
Base Fittings					
80mm Castors	Standard				
Legs	Option				

Doors						
Solid Full	Standard					
Hinged - Right Hand	Standard					
Hinged - Left Hand	Option					
Refrigeration						
lata wast	Ctondord					
Integral	Standard					
Remote - less condensing unit	Option					
Remote - less condensing						

Electrical Data & Service Information						
400 Volts	Standard					
50Hz	Standard					
3 Phase	Standard					
Thermal Heat Rejection (W)	2,775					
Noise (dBa @ 1m)	TBC					
Fuse Required (A)	10 amp					
Product Extras						
Door Pull Handle	Standard					
Hold Facility	Standard					
Temperature Probe	Standard					
Hardwired Logging System	Option					

Footnotes

- Freezing Capacity: 52 KG, Chilling Capacity: 52 KG. Chilling capacity 70oC to 3oC in less than 90 minutes within specifications, entry temperature up to 90oC for chilling. Freezing capacity from + 70oC to -18oC in less than 240 minutes within specifications.
- *Please add 55mm to depth for spacer

Foster Refrigerator

Oldmedow Road - King's Lynn - Norfolk - PE30 4JU - United Kingdom Telephone: 0843 216 8800 Facsimile: 0843 216 4700 Email: sales@foster-uk.com













Interface



ISO 14001



Demand more. Choose Foster