



## DF618 - Silverlink 600 Electric Counter-top Twin Tank Fryer - 2 Baskets - W 600 mm - 2 x 9.0 kW

The Silverlink 600 Electric Twin Tank Counter Top Fryer not only provides greater versatility, but also increased power capable of delivering 132kg of chips per hour.

- ✓ Two independently operated fryer tanks for greater versatility, increased power delivers 132kg of chips per hour
- ✓ Front mounted controls for safety
- ✓ Hinged elements to give easy access during cleaning
- ✓ Cool zone collects cooking debris - gives cleaner cooking results and saves money by prolonging the life of the oil
- ✓ Thermostatically controlled to give accurate cooking temperatures throughout cooking. Fail-safe top temperature cut out ensures safe operation.
- ✓ Fully moulded 304 stainless steel tank and heavy duty nickel plated baskets for the most demanding of operations
- ✓ Front drain off tap for easy removal of cooking oil

### Specifications

Summary		Power and Performance	
Range Name	Silverlink 600	Total Power kW	2 x 9.0
Power Type	Electric	Temperature Range °C	130 - 190
Unit Type	Counter-top	IP Rating	IP33
Available in UK Only	No	Temperature Control	Mechanical
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN Code	5056105104650		

Key Specifications		Weights and Dimensions	
Capacity Litres	2 x 9.0	Unit Height (External) mm	330
Number of Baskets	2	Unit Width (External) mm	600
Number of Tanks	2	Unit Depth (External) mm	632
Gravity Filtration	No	Net Weight Kg	27
Pumped Filtration	No		
Drain Location	Front-mounted		

Supply Connections		Shipping	
Requires Installation	Yes	Packed Weight Kg	33
Requires Electrical Supply	Yes	Packed Height cm	49.5
UK 3 Pin Plug	No	Packed Width cm	70
Requires Hardwiring	Yes	Packed Depth cm	70
Electrical Supply Rating Watts	2 x 9,000		
Single Phase Amps	2 x 39.0		
Single Phase Voltage	230		
Three Phase Amps	L1=2 x 13.0 ; L2=2 x 13.0 ; L3=2 x 13.0		
Three Phase Voltage	400		





### Available Accessories

BA96	BASKET SPUN DFSMALL
CC6	Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 600 mm
CN6	Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 600 mm
HC6	Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 600 mm - 0.5 kW

## Available Accessories

<b>HCL6</b>	Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 600 mm - 0.5 kW
<b>SLS6</b>	Silverlink 600 Free-standing Floor Stand - for units W 600 mm

## Technical Picture





#### Lincat Limited

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



#### Customer Care

**Tel:** +44 1522 875500

**Email:** [care@lincat.co.uk](mailto:care@lincat.co.uk)

#### Export Customers

**Tel:** +44 1522 503250

**Email:** [export@lincat.co.uk](mailto:export@lincat.co.uk)

#### Opening Hours

**Monday – Friday:**

8.30am – 5pm