



EC09 - Lincat Electric Counter-top Convection Oven - W 766 mm - 7.5 kW

Bake off everything from pies, pastries, pizzas roasts, pizzas, bakery products to baking off chilled or frozen convenience bakery products easily and efficiently with this powerful 7.5kW Lincat Electric Convection Oven.

- ✓ The larger and more powerful EC09 is perfect for baking off chilled or frozen convenience bakery products.
- ✓ The excellent twin fan air circulation system delivers a highly efficient air circulation ensuring consistent and even cooking and faster cooking times.
- ✓ Accommodates 1/1GN containers for convenient operation. Adjustable shelf supports to accept 600mm x 400mm standard baking trays
- ✓ Fast heat up from cold saves time and money and fast recovery times
- ✓ Water injection facility gives a professional finish to breads and pastries. The useful cook and hold facility reduces oven temperature to 80 degs C at end of cooking period.
- ✓ Double-glazed door for energy efficiency
- ✓ Stackable for added flexibility and to make the best of use of floorspace.
- ✓ Robust stainless steel construction

Specifications

Summary

Range Name	Lincat
Power Type	Electric
Unit Type	Counter-top
Available in UK Only	No
UK Warranty	2 Years Parts and Labour Warranty
Export Warranty	Contact your local dealer
GTIN Code	5056105101680

Power and Performance

Gastronorm Capacity	4 x GN1/1
Total Power kW	7.5
Temperature Range °C	50 - 300
IP Rating	IP23
Temperature Control	Mechanical
Oven Rating kW	7.5

Key Specifications

Capacity Litres	170.0
Number of Shelves included	4
Number of Shelf Positions	4

Weights and Dimensions

Unit Height (External) mm	652
Unit Width (External) mm	766
Unit Depth (External) mm	840
Height (Internal) mm	510
Width (Internal) mm	480
Depth (Internal) mm	700
Shelf Dimensions Width mm	530
Shelf Dimensions Depth mm	325
Net Weight Kg	95.9

Supply Connections

Requires Installation	Yes
Requires Electrical Supply	Yes
UK 3 Pin Plug	No
Requires Hardwiring	Yes
Electrical Supply Rating Watts	7,500
Single Phase Amps	32.6
Single Phase Voltage	230
Three Phase Amps	L1=6.7 ; L2=13.0 ; L3=13.0
Three Phase Voltage	400
Water Connection BSPT	3/4"
Water Connection Pressure Bar	0.2 - 10.0




Shipping

Packed Weight Kg	100.6
Packed Height cm	73
Packed Width cm	94.5
Packed Depth cm	90

Available Accessories

EC09/FS	EC09 FLOORSTAND
EC09/FSBT	EC09 FLOORSTAND FOR BAKING TRAYS
EC09/LFS	EC09 LOW FLOORSTAND
EC09/SK	EC09 STACKING KIT

Technical Picture



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm