

# **SILVERLINK 600**



GS3/E - Lincat Silverlink 600 Electric Counter-top Griddle - Extra Power - W 300 mm - 2.5 kW Whether you're cooking eggs, bacon, burgers or vegetables, the versatile Silverlink 600 Electric Griddle won't let you down.

- Extra powered element for maximum output for a busy kitchen
- Hard wearing 12 mm think machined steel plate providing even heat distribution and excellent heat retention
- Thermostatically controlled to give accurate temperatures during the cooking process for consistent results
- Removable front drainer drawer which also makes for easy cleaning. Ideal for busy establishments
- The plate is fully welded into the frame to prevent leaks and places where food and carbon can build up
- Plug and play for an easy installation

## **Specifications**

#### Summary **Power and Performance Brand Total Power kW** 2.5 Range Silverlink 600 Temperature Range °C 50-250 **Power Type** Electric IP33 Cooking Area (Width x Depth) mm **Unit Type** 262 x 405 Counter-top Available in UK Only **Temperature Control** Mechanical **UK Warranty** 2 Years Parts and Labour Warranty **Export Warranty** Contact your local dealer GTIN 5056105100089

## **Key Specifications**

**Weights and Dimensions** 

Unit Height (External) mm

Unit Width (External) mm

Unit Depth (External) mm

 Number of Heat Zones
 2

 Grill Plate Surface Type
 Smooth

 Grill Plate Material
 Steel

# Requires Installation No Requires Electrical Supply Yes UK 3 Pin Plug Yes Requires Hardwiring No Electrical Supply Rating Watts 2,500

10.9

230

#### Shipping

Net Weight Kg

Packed Weight Kg	25
Packed Height cm	49.5
Packed Width cm	70
Packed Depth cm	40

330

300

600

22.4

### **Available Accessories**

CC3	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 300 mm
CN3	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 300 mm
HC3	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 300 mm - 0.25 kW
HCL3	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 300 mm - 0.25 kW

Single Phase Amps

Single Phase Voltage

Product Code: GS3/E Page Number: 1 Print Date: 29/06/2020




# **SILVERLINK 600**


# **Available Accessories**


**SB3** 300 GRIDDLE SPLASHB

**SLS3** Lincat Silverlink 600 Free-standing Floor Stand - for units W 300 mm

# **Technical Picture**













**Lincat Limited** 

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

**Company No:** 2175448

A member company of

**Customer Care** 

**Tel:** +44 1522 875500

Email: care@lincat.co.uk

**Export Customers** 

**Tel:** +44 1522 875536

Email: export@lincat.co.uk

**Opening Hours** 

Monday - Friday:

8.30am - 5pm

Product Code: GS3/E Page Number: 3 Print Date: 29/06/2020