



# Product Code: LR120 13-123

## Space Saver Freezer Undercounter Cabinet

---



### Features & Benefits

---

- Front breathing refrigeration system, suitable for use even in enclosed areas
- Easy to use microprocessor control with digital display on the front for easy visual reference
- Stainless steel exterior as standard with aluminium interior
- Roller castors to rear for ease of movement
- Integrated door lock for security
- High quality magnetic door gasket
- Operate in ambient up to 40°C
- GN1/1 Undercounter storage on a small footprint

## External Finish

304 s/s	Standard
Worktop	Standard

## Base Fittings

Castors - Rear Fixed	Standard
Levelling Bolts	Standard

## Electrical, Service & Ecodesign Data

230/50/1	Standard
Fuse Required	13
Global Warming Potential	3922
Energy Efficiency Index	76.75
Refrigerant Charge	0.210

## Internal Finish

aluminium	Standard
-----------	----------

## Doors

Solid	Standard
-------	----------

## Specification

Dimensions (Width)	440
Dimensions (Height)	895
Dimensions (Depth)	745
Weight (Unpacked, kg)	69
Weight (Packed, kg)	77.02
Gross Volume	120
Noise DbA @ 1M	TBC

## Shelving

GN1/1 Shelf	Option
-------------	--------

## Refrigeration

R404a - Industry Standard	Standard
---------------------------	----------

Integral Refrigeration System	Standard
-------------------------------	----------

## Footnotes

- External cabinet depth excludes 25mm door handle
- Note: for airflow, ensure that 25mm clearance is allowed above the cabinet
- Decibel rating measured 1m high from the floor and 1m from the cabinet



## Application

This appliance is intended for use in ambient temperatures up to 40°C

## Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

## Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit [our policies](#)



Energy



Quality



Value



Design



Hygiene



After Care