



Product Code: LR240 13-125

Space Saver Freezer Undercounter Cabinet



Features & Benefits

- Front breathing refrigeration system, suitable for use even in enclosed areas
- Easy to use microprocessor control with digital display on the front for easy visual reference
- Stainless steel exterior as standard with aluminium interior
- Roller castors to rear for ease of movement
- Integrated door lock for security
- High quality magnetic door gasket
- Operate in ambient up to 40°C
- GN1/1 Undercounter storage on a small footprint

External Finish

| | |
|----------------|----------|
| 304 s/s | Standard |
| Worktop | Standard |

Base Fittings

| | |
|-----------------------------|----------|
| Castors - Rear Fixed | Standard |
| Levelling Bolts | Standard |

Electrical, Service & Ecodesign Data

| | |
|---------------------------------|----------|
| 230/50/1 | Standard |
| Fuse Required | 13 |
| Global Warming Potential | 3922 |
| Energy Efficiency Index | 114.64 |
| Refrigerant Charge | 0.290 |

Internal Finish

| | |
|------------------|----------|
| aluminium | Standard |
|------------------|----------|

Doors

| | |
|--------------|----------|
| Solid | Standard |
|--------------|----------|

Specification

| | |
|------------------------------|-------|
| Dimensions (Width) | 870 |
| Dimensions (Height) | 895 |
| Dimensions (Depth) | 745 |
| Weight (Unpacked, kg) | 86.5 |
| Weight (Packed, kg) | 100.5 |
| Gross Volume | 240 |
| Noise DbA @ 1M | TBC |

Shelving

| | |
|--------------------|--------|
| GN1/1 Shelf | Option |
|--------------------|--------|

Refrigeration

| | |
|--------------------------------------|----------|
| R404a - Industry Standard | Standard |
| Integral Refrigeration System | Standard |

Footnotes

- External cabinet depth excludes 25mm door handle
- Note: for airflow, ensure that 25mm clearance is allowed above the cabinet
- Decibel rating measured 1m high from the floor and 1m from the cabinet



Application

This appliance is intended for use in ambient temperatures up to 40°C

Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit [our policies](#)



Energy



Quality



Value



Design



Hygiene



After Care