



SILVERLINK 600

PRODUCT OPTIONS AND ACCESSORIES

- SLS9 Lincat Silverlink 600 Free-standing Floor Stand - for units W 900 mm

PRODUCT FEATURES

- Designed to suite perfectly with other equipment in the Silverlink 600 series
- Powerful gas burners with flame failure device for added safety
- Fully pressed and sealed hob tops for easy cleaning
- Robust, easy-to-clean vitreous enamelled cast iron pan supports
- Low level flue maximises working area and enables you to use large stock pots

Designed to blend in with other Silverlink 600 products, whether you're cooking in a care home, cafe, or smaller pub or restaurant, the Gas Boiling Top won't let you down. Featuring powerful gas burners with a flame failure device for added safety, the fully pressed and sealed hob tops also make the unit easy to clean and maintain.

A/A FILE NUMBER:

ITEM NUMBER:



LINCAT SILVERLINK PROPANE GAS COUNTER-TOP BOILING TOP - 6 BURNERS - W 900 MM - 27.0 KW

MODEL: HT9/P

WEIGHTS & DIMENSIONS

Width	900 mil
Depth	626 mil
Height	306 mil
Weight	30.9 kg

SHIPPING DETAILS

Ship Width	101.5 cm
Ship Depth	72 cm
Ship Height	59.5 cm
Ship Weight	33.99 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Source Type	Gas	Gas Inlet Size	0.5 in
Kilowatts	27 kW	Gas Inlet Pressure Required	37 mBar
Electrical Connection Type	Not Applicable	Gas Total BTUs	92124 BTU
Electrical Plug Type	Not Applicable	Gas Consumption at Max Use Per Hour	1.93 m ³
Number of Electrical Plugs	Not Applicable	Total Heat Input at Max Use	27 kW, 92128 BTU per hour
Gas Type	Propane	Energy Saving	No

ADDITIONAL SPECIFICATIONS

Control Type	Mechanical	Number of Shelves	Not Applicable
Cooking Plate Finish Material Type	Cast Iron Plate	Open or Sealed Burners	Sealed
Exterior Finish Color	Stainless Steel	Restaurant or Heavy Duty	Yes
Exterior Trim Finish Color	Stainless Steel	Watts Per Element	4500
High Altitude Kit Available	No	Cooking Equipment	Sealed Burner
Number of Heating Zones	6	BTUs Per Burner	4.5 KW
Number of Hot Top Burners	6		

SELECT COOKING EQUIPMENT	NUMBER OF	POWER RATING	ARRANGE- MENT	WIDTH	DEPTH
Sealed Burner 1	6		Center	300 mm	300 mm

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
January 23, 2024



LINCAT SILVERLINK PROPANE GAS COUNTER-TOP BOILING TOP -
6 BURNERS - W 900 MM - 27.0 KW

MODEL: HT9/P

SELECT BASE EQUIPMENT	NUMBER OF	CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Not Applicable For This Item					

BIDDING SPECIFICATIONS
Bidding Specifications Not Available.



TECHNICAL DRAWING

