lincat

LINCAT PHOENIX ELECTRIC FREE-STANDING INDUCTION OVEN RANGE - 6-ZONE - W 900 MM - 13.0 KW [1-PHASE]

MODEL: PHER01/SPH



Increasingly, operators are looking for energy efficient products. With six 1.85kW induction zones and a six GN1/1 large capacity oven, the 'no frills' Phoenix Electric Induction Oven is all about power, robustness and efficiency at a cost effective price.

The PHER01/SPH is the ultimate solution for pubs, care homes and community centres on a single phase supply.



PRODUCT FEATURES

- Six 1.85kW zones. When you need intense heat to get you cooking, zones can be boosted to 3kW for up to 10 minutes. Power to the other zones will drop during the boost period.
- Incredible efficiency, reducing running costs and providing a more comfortable kitchen environment
- Easy to clean heavy duty 6mm thick, high impact resistant, glass ceramic surface
- Large 6 x GN1/1 capacity twin fan assisted oven, enabling six different foods to be cooked simultaneously
- Highly insulated oven, reducing heat loss and ensuring a more consistent temperature





lincat

LINCAT PHOENIX ELECTRIC FREE-STANDING INDUCTION OVEN RANGE - 6-ZONE - W 900 MM - 13.0 KW [1-PHASE]

MODEL: PHER01/SPH

WEIGHTS & DIMENSIONS

Width	900 mil
Depth	817 mil
Height	923 mil
Weight	125 kg

SHIPPING DETAILS	
Ship Width	100 cm
Ship Depth	85 cm
Ship Height	106 cm
Ship Weight	137.5 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Source Type	Electricity
Electrical Amps	56.5 [1 supp.]; 30.4/26.1 [2 supp.]
Electrical Voltage	230 volts
Electrical Watts	13000
Electrical Phase	Single
Kilowatts	13 kW

Number of Electrical Conductor Wires1Electrical Connection TypeDirect HardwiredElectrical Plug TypeHardwiredNumber of Electrical PlugsNot ApplicableDedicated Circuit RequiredYesEnergy SavingYes

ADDITIONAL SPECIFICATIONS

Control Type	Rotary Control Knob
Cooking Plate Finish Material Type	Ceran Glass
Exterior Finish Color	Stainless Steel
Exterior Trim Finish Color	Stainless Steel
Gastronorm Capacity	6 x GN1/1
Heat Source Type	Induction
High Altitude Kit Available	No
Number of Heating Zones	6
Number of Hot Top Burners	6
Number of Induction Burners	6
Number of Shelf Positions	5

Number of Shelves	3
Open or Sealed Burners	Not Applicable
Orientation Of Burners	Front-To-Back
Oven Power Rating	4 kW
Oven Temperature Maximum	250 °C
Oven Temperature Minimum	50 °C
Shelf Depth	512 mm
Shelf Width	706 mm
Temperature Maximum	250 °C
Temperature Minimum	50 °C
Watts Per Element	1850

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024



lincat

LINCAT PHOENIX ELECTRIC FREE-STANDING INDUCTION OVEN RANGE - 6-ZONE - W 900 MM - 13.0 KW [1-PHASE]

MODEL: PHER01/SPH

SELECT COOKING EQUIPMENT	NUMBER OF		POWER RATING	ARRANGE- MENT	WIDTH	DEPTH
Induction Burner 1		6	1.85	Center	190 mm	190 mm
SELECT BASE EQUIPMENT	NUMBER OF		CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Standard Oven 1		1		706 mm	512 mm	410 mm

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024

www.lincat.co.uk | p: +44 1522 875500




Whisby Road, Lincoln, LN6 3QZ, UK





LINCAT PHOENIX ELECTRIC FREE-STANDING INDUCTION OVEN RANGE - 6-ZONE - W 900 MM - 13.0 KW [1-PHASE]

MODEL: PHER01/SPH

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024

